


CATALOG No. 15

OCTOBER 30, 1950



PIPE TOOLS

DEALERS' NET PRICES



NYE TOOL COMPANY

Manufacturers of "*The Tools You Swear By and Never At*"

4120 FULLERTON AVENUE, CHICAGO 39, ILLINOIS

NYE TOOL COMPANY

Office & Factory—4120-4130 Fullerton Avenue
CHICAGO 39, ILLINOIS

Telephone: BELmont 5-2394 Cable Address: "Nyecorp" Chicago

LIST PRICES FOR WRENCHES—CATALOG No. 15


F. O. B. FACTORY OR DISTRIBUTORS' STOCKS
(October 30, 1950)

Prices herein supersede all previous prices
and are subject to change without notice

NYE PIPE WRENCHES

HARDENED FORGED JAWS

ALLOYED HANDLE



LIST PRICES—WRENCHES AND PARTS—SUBJECT TO TRADE DISCOUNT

SIZE	Complete All-Alloy Wrench	Handle Assembly Straight or Offset	Hook Jaw	Heel Jaw & Pin	Pin	Coil Spring	Flat Spring	Nut	Capacity Inches	Weight Each Lbs.	Weight Six Per Box
6" STRAIGHT OR OFFSET	\$1.90	\$1.75	\$.65	\$.40	\$.03	\$.03	\$.20	\$.15	3/4	1/2	2 1/2
8" STRAIGHT OR OFFSET	2.20	1.95	.70	.45	.03	.03	.20	.15	1	3/4	5
10" STRAIGHT OR OFFSET	2.85	2.50	1.10	.55	.04	.03	.20	.20	1 1/2	1 3/4	10 3/4
14" STRAIGHT OR OFFSET	3.85	3.45	1.50	.65	.04	.03	.30	.30	2	3 1/2	20 1/2
18" STRAIGHT OR OFFSET	5.50	4.95	2.15	.75	.04	.04	.40	.35	2 1/2	5 1/4	32
24" STRAIGHT OR OFFSET	9.50	7.95	3.50	.85	.04	.04	.50	.55	3	8 3/4	52
36" STRAIGHT OR OFFSET	20.00	15.00	5.70	1.15	.05	.04	.60	1.10	4 1/2	16 1/4	—
48" STRAIGHT ONLY	30.00	25.00	9.00	2.05	.05	.04	.80	2.00	6	28	—
60" STRAIGHT ONLY	45.00	35.00	17.00	4.55	.05	.04	1.50	4.00	8	43 1/4	—

• Superseding all previous prices.
(Subject to change without notice)


NYE TRIAD STOCKS



Nye Triad Die Head Parts

- **One Piece Dies**—Assure operator perfect alignment and size. Die is locked in place by threaded screw cap, easily removed with a few right hand turns. Same dies are used with all Triad Stocks but diehead diameters vary for each ratchet stock.

Nye Triad Ratchet Stocks



Stock No.	Capacity
N50-5	1/8"-3/4"
N55-61	1/8"-1"
N60-7	1/8"-1 1/4"

Nye No. 50 Triad Ratchet Stock

(Fits Fed. Spec. GGG-T-581—Fig. 4—Type D.)

Catalog No.	Item Complete with R.H. Dies	Price Each	Apr. Shp. Wt. Lbs.
N50-5	Stock 1/8, 1/4, 3/8, 1/2, 3/4"	\$19.75	9 1/2
N50-4	Stock 1/4, 3/8, 1/2, 3/4"	16.35	8 1/4
N50-3	Stock 3/8, 1/2, 3/4"	12.95	7 1/4
N50-2	Stock 1/2, 3/4"	9.55	6
N50-R	Ratchet with handle*	2.75	2 3/4
N50-H	Die Head with die* (specify size) ..	3.40	1 1/4
N50-P	Pawl only with spring	1.05	1/4

*Interchangeable with Toledo No. 00, Armstrong No. 90R, and Beaver No. 2 die heads and stocks.

Nye No. 60 Triad Ratchet Stock

(Fits Fed. Spec. GGG-T-581—Fig. 4—Type D.)

Catalog No.	Item Complete with R.H. Dies	Price Each	Apr. Shp. Wt. Lbs.
N60-7	Stock 1/8, 1/4, 3/8, 1/2, 3/4, 1, 1 1/4"	\$30.80	21 1/2
N60-6	Stock 1/4, 3/8, 1/2, 3/4, 1, 1 1/4"	27.05	19 3/4
N60-5	Stock 3/8, 1/2, 3/4, 1, 1 1/4"	23.30	17 3/4
N60-4	Stock 1/2, 3/4, 1, 1 1/4"	19.55	15 3/4
N60-41	Stock 3/8, 1/2, 3/4, 1, 1 1/4"	19.25	14 1/4
N60-31	Stock 1/2, 3/4, 1"	15.50	12 1/2
N60-R	Ratchet with handle†	3.95	4 1/4
N60-H	Die head with die†—sizes 1/8 to 3/4"	3.75	2
N60-H1	Die Head with die†—sizes 1 & 1 1/4"	4.05	2 1/2
N60-P	Pawl only with spring	1.05	1/4


†Interchangeable with Toledo No. 11 die heads and stock.

Nye No. 55 Triad Ratchet Stock

Catalog No.	Item Complete with R.H. Dies	Price Each	Apr. Shp. Wt. Lbs.
N55-61	Stock 1/8, 1/4, 3/8, 1/2, 3/4, 1"	\$28.50	12 1/2
N55-51	Stock 1/4, 3/8, 1/2, 3/4, 1"	24.50	11 1/4
N55-41	Stock 3/8, 1/2, 3/4, 1"	20.50	10 1/4
N55-31	Stock 1/2, 3/4, 1"	16.50	9
N55-21	Stock 3/4, 1"	12.50	7 1/4
N55-5	Stock 1/8, 1/4, 3/8, 1/2, 3/4"	24.15	10 1/2
N55-4	Stock 1/4, 3/8, 1/2, 3/4"	20.15	9 1/4
N55-3	Stock 3/8, 1/2, 3/4"	16.15	8
N55-2	Stock 1/2, 3/4"	12.15	6 3/4
N55-R	Ratchet only with handle	4.15	2 3/4
N55-H	Die Head with die (sizes except 1")	4.00	1 1/4
N55-H1	Die Head with die—1" size	4.35	1 3/4
N55-TP	Ratchet Toggle Pawl with Flat Spring and Pin	1.05	1/4
N55-P	Ratchet Pawl with Coil Spring	1.05	1/4

Nye Three Way Triad Stocks

3/8" to 3/4" and 1/2" to 1"



(Fits Fed. Spec. GGG-T-581—Fig. 5—Type E)

Nye Triad Dies

Catalog No.	Item	Price Each	Apr. Shp. Wt. Lbs.
ND-T	Triad Dies only—1/8, 1/4, 3/8" { Pipe }	\$2.45	1/4
ND-T	Triad Dies only—1/2, 3/4" { or }	2.85	1/2
ND-T	Triad Dies only—1, 1 1/4" { conduit }	3.00	1/2

• DEALERS' NET PRICES F.O.B. FACTORY,
OR DISTRIBUTORS' STOCKS

"The Tools You Swear BY, and Never AT"

Catalog No.	Item Complete with R.H. Dies	Price Each	Apr. Shp. Wt. Lbs.
N3W-30	3/8, 1/2, 3/4"	\$10.60	7 1/2
N3W-31	1/2, 3/4, 1"	12.35	11 1/4
N3W-30-0	Stock Only, { Less Dies, Handles }	6.60	2
N3W-31-0	Stock Only, { and Screw Caps }	6.60	3

*• Superseding all previous prices.
(Subject to change without notice)*

NYE SOLID DIE STOCKS

- With Nye Solid Skip-Tooth Dies featuring the removal of every alternate tooth in back of die to reduce friction and permit more chip clearance when backing off.
- Together with Threaded Throat feature assures easy starting and easy cutting.



Nye Solid Skip-Tooth Dies

Will fit all makes of Solid Stocks corresponding to stock numbers with their die capacities listed below.

Catalog No.	Dimension of Dies	Sizes	Price Each	Apr. Shp. Wt. Lbs.
ND-1	2 1/2 x 2 1/2 x 3/4	1/8, 1/4, 3/8, 1/2, 3/4, 1.	\$3.00	1
ND-2	4 x 4 x 7/8	1/2, 3/4, 1, 1 1/4, 1 1/2, 2	5.00	2 1/2

Nye No. 1 Solid Bolt Dies

Can be used in any stock accommodating No. 1, 2 1/2 x 2 1/2 x 3/4 Dies.

National Coarse Thread (U.S.S.)		
Catalog No.	Price Each	Apr. Shp. Wt. Lbs.
ND-1B	\$2.90	1



Sizes	1/4"	5/16"	3/8"	7/16"	1/2"	9/16"	5/8"	3/4"	7/8"	1"	1 1/8"
Threads Per Inch	20	18	16	14	13	12	11	10	9	8	7

Solid Skip-Tooth Conduit Dies

For use in any stock accommodating No. 1, 2 1/2 x 2 1/2 x 3/4

Catalog No.	Sizes	Price Each	Apr. Shp. Wt. Lbs.
ND-1C	1/2, 3/4, 1"	\$3.00	1

Nye No. 1 Malleable Stock



With Loose Bushings or Guides

Catalog No.	Item complete with R.H. Skip-Tooth Dies	Price Each	Apr. Shp. Wt. Lbs.
N1-6	Stock 1/8, 1/4, 3/8, 1/2, 3/4, 1"	\$20.80	13 1/2
N1-5	Stock ... 1/4, 3/8, 1/2, 3/4, 1"	18.05	12 1/4
N1-4	Stock ... 3/8, 1/2, 3/4, 1"	15.25	11 1/4
N1-3	Stock ... 1/2, 3/4, 1"	12.50	10
N1-2	Stock ... 1/2, 3/4"	11.90	9 1/4
N1-0	Stock with handles and screws	5.50	7 1/4
ND-1	Extra Solid Skip-Tooth Dies	3.00	1
N1-G	Extra Guides (not needed for 1")50	1/4
N1-PS	Top Plate with Screws (Old Style)75	1/4
N1-H	Handles, Each90	2
N1-IKS	Knurled Die Screws, Each30



Nye Triplex Solid Die Stock

Lightweight one-piece combination stock holds three dies. There are generous openings in body, clearly shown in the cut, that amply allow for oiling and chip clearance.

Fits Fed. Spec. GGG-T-581-Fig. 5-Type E

Supplied in two combinations: 5/8" to 3/4", and 1/2" to 1".

Catalog No.	Item complete with R. H. Skip-Tooth Dies	Price Each	Apr. Shp. Wt. Lbs.
NT-30	Stock 3/8, 1/2, 3/4"	\$13.75	11 1/4
NT-31	Stock 1/2, 3/4, 1"	13.75	11 1/4
NT-0	Stock less dies and bushings	6.60	8 1/4
ND-1	Extra Solid Skip-Tooth Dies	3.00	1
NT-G	Extra Guides50	1/4
NT-TPS	Top Plate with Screws and Springs95	1/2
NT-H	Handles, Each	1.05	2
NT-BS	Bushing Set Screw10

Nye No. 1 Improved Solid Malleable Stock



With Pipe or Bolt Dies

Equipped with built-in Adjustable Guide, for all sizes of pipe, 1/8" to 1", and 1" couplings, also bolt dies 1/4" to 1 1/8".


Catalog No.	Item complete with R.H. Skip-Tooth Dies	Price Each	Apr. Shp. Wt. Lbs.
N1-I6	Stock 1/8, 1/4, 3/8, 1/2, 3/4, 1"	\$20.80	12 1/4
N1-I5	Stock ... 1/4, 3/8, 1/2, 3/4, 1"	18.05	11 1/4
N1-I4	Stock ... 3/8, 1/2, 3/4, 1"	15.25	10 1/4
N1-I3	Stock ... 3/8, 1/2, 3/4"	12.50	9 3/4
N1-I31	Stock ... 1/2, 3/4, 1"	12.50	9 3/4
N1-I2	Stock ... 1/2, 3/4"	11.90	8 1/4
N1-I0	Stock with handles less dies	8.00	7
ND-1	Extra Solid Skip-Tooth Dies	3.00	1

Item complete with No. 1 Solid Bolt Dies (NC)


N1-B8	Stock and 8 Dies as selected	\$25.50	15
N1-B7	Stock and 7 Dies	23.20	14
N1-B6	Stock and 6 Dies	20.85	13
N1-B5	Stock and 5 Dies	18.50	12
ND-B	Extra Solid Bolt Dies	2.90	1
N1-IH	Handles, Each90	2
N1-ICP	Centering Plate, Only	2.50	1/4
N1-IJ	Centering Plate Jaws	1.30	1/2
N1-IS	Centering Plate Screws, Each15	1/4
N1-ITS	Centering Plate Thumb Screws, Each25
N1-IKS	Knurled Die Screws, Each30
N1-IAG	Adjustable Guide Complete	4.00	2

• Superseding all previous prices.
(Subject to change without notice)

Nye Tube Cutter with Rollers



N10C



N25C

Catalog No.	Tubing Capacity	Price Each	Apr. Shp. Wt., Lbs.
N10C	$\frac{3}{16}$ " to $\frac{7}{8}$ " O.D.	\$2.45	$\frac{1}{2}$
N25C	$\frac{1}{2}$ " to $2\frac{1}{8}$ " O.D.	4.90	$2\frac{1}{2}$
N10CW	Exceptionally keen cutter wheel for copper, brass and lead tubing for use in N10C....	\$0.45	$\frac{1}{4}$
N25CW	Sturdier wheel for steel thin wall for use in N25C.....	.45	$\frac{1}{4}$
N10CP	Cutter Pin25	$\frac{1}{4}$
N10CR	Cutter Roller30	$\frac{1}{4}$
N25CP	Cutter Pin25	$\frac{1}{4}$
N25CR	Cutter Roller30	$\frac{1}{4}$

Nye Ratchet Reamer



For Reaming Pipe $\frac{1}{4}$ " to 3"

Blades are specially ground, per illustration, and are replaceable, if ever necessary.

Catalog No.	Item	Price Each	Apr. Shp. Wt., Lbs.
NRR	Ratchet Reamer, Complete	\$9.90	$6\frac{1}{2}$
NRR-B	Extra blades, each	1.35	$\frac{1}{4}$
NRR-BO	Body	2.95	2
NRR-RH	Ratchet Housing	1.25	1
NRR-RR	Ratchet Retainer80	$\frac{1}{2}$
NRR-PR	Palm Rest	1.00	$\frac{1}{2}$
NRR-H	Handle	1.00	2
NRR-RP	Ratchet Pawl, Complete	1.05	$\frac{1}{4}$
NRR-RS	Ratchet Spring20

Nye Bit Brace Reamer




Spiral Flute

These reamers made with tapered shank to fit any standard bit brace.

Spiral flutes give a shearing action, assuring operator a clean and satisfactory job.

Catalog No.	Item	Price Each	Apr. Shp. Wt., Lbs.
N42	$\frac{1}{8}$ " to 1"	\$2.00	$\frac{3}{4}$
N42 $\frac{1}{2}$	$\frac{1}{8}$ " to $1\frac{1}{4}$ "	2.50	$\frac{3}{4}$
N44	$\frac{1}{4}$ " to 2"	4.75	$1\frac{1}{4}$

Nye Quality Pipe Taps



Carbon Steel

Briggs standard (N.P.T.) right hand taper pipe taps furnished.

Catalog No.	Pipe Size	Threads Per Inch	Price Each	Apr. Shp. Wt. Lbs.
NT1	$\frac{1}{8}$	27	\$.85	$\frac{1}{4}$
NT2	$\frac{1}{4}$	18	1.00	$\frac{1}{4}$
NT3	$\frac{3}{8}$	18	1.35	$\frac{1}{4}$
NT4	$\frac{1}{2}$	14	1.65	$\frac{1}{4}$
NT5	$\frac{5}{8}$	14	2.40	$\frac{1}{4}$
NT6	1	$11\frac{1}{2}$	3.65	$\frac{1}{4}$
NT7	$1\frac{1}{4}$	$11\frac{1}{2}$	5.00	$\frac{3}{4}$
NT8	$1\frac{1}{2}$	$11\frac{1}{2}$	6.70	$1\frac{1}{4}$
NT9	2	$11\frac{1}{2}$	9.95	3

Nye Union Valve-Nipple Wrench



Catalog No.	Sizes	Price Each	Apr. Shp. Wt. Lbs.
NNW	$\frac{3}{8}$, $\frac{1}{2}$, $\frac{3}{4}$, 1, $1\frac{1}{4}$, $1\frac{1}{2}$, 2"	\$2.35	3

Nye Closet Spud Wrench




Catalog No.	Size	Price Each	Apr. Shp. Wt., Lbs.
NSW4	$1\frac{1}{4}$ " x 2"	\$1.25	$1\frac{1}{4}$
NSW2	$1\frac{1}{2}$ " x 2"	1.25	$1\frac{1}{4}$

* Superseding all previous prices.
(Subject to change without notice)

NYE RECEDED DIE STOCKS

Nye No. 1R Ratchet Stock



Regular Bushings

Capacity 1" to 2"

(Fits Fed. Spec. GGG-T-581-Fig. 8-Type G)

Catalog No.	Item	Price Each	Apr. Shp. Wt., Lbs.
N1R-4	Receding Stock (Ratchet) complete with bushings and dies 1, 1½, 1½ and 2".	\$22.00	23
N1R-O	Stock less dies and handles.....	14.85	16½

Chasers for No. 1R Stocks, see page 7.

Nye No. 1



Nye No. 1A



Receding Stocks

With Regular Bushings and Set Screws

Capacity 1" to 2"

(Fits Fed. Spec. GGG-T-581-Fig. 8-Type G)


Catalog No.	Item complete with bushings and R. H. dies	Price Each	Apr. Shp. Wt., Lbs.
N1-Re4	No. 1 Stock—1, 1½, 1½, and 2" ..	\$21.75	21
N1-ReO	No. 1 Stock—less dies and handles ..	12.00	14½
N1A-4	No. 1A Stock—1, 1½, 1½, and 2" ..	23.50	25½
N1A-O	No. 1A Stock—less dies and handles ..	15.70	18½
N1A-G	Guides (Bushings) 1, 1½, 1½, (2" Guide is built in the stock)	.55	¾
N1A-S	Thumb screws25	½
N1A-P	Nail, Spring, and Pin30	¾

Chasers for No. 1 and No. 1A Stocks, see page 7.

REPAIR PARTS FOR NYE 1, 1A, AND 1R RECEDED DIE STOCKS

When ordering repairs always specify the serial number which appears on the name plate of the tool.

Prices shown are for standard parts only.
Other tool parts quoted upon request.



Part No.	Interchangeable for Stock Nos. 1, 1A, and 1R	Price Each
1A-1	Handles, per pair (For Nos. 1 and 1A only)	\$2.25
1A-2	1-inch Guide65
1A-3	1½-inch Guide65
1A-4	1½-inch Guide65
1A-5	Pipe Holder	3.05
1A-6	Thumb Screw, each25
1A-7	Taper Pin, each45
1A-8	Die Retaining Spring	{ one }
1A-9	Die Retaining Spring Nail	{ of }
1A-10	Die Retaining Pln. each30
1A-14	Retaining Ring	1.65
1A-21	2-inch Guide65

Interchangeable for Stock Nos. 1A and 1R

IR-H	Ratchet Handle (not shown)	\$1.15
1A-12	Ratchet Guide	
1A-13	Ratchet Pawl	{ one }
1A-15	Ratchet Spring	{ of }
1A-16	Ratchet Pawl Knob	each
1A-17	Ratchet Case Screws, each20
1A-18	Ratchet Case	3.55
1A-19	Ratchet Case Cover	1.45
1A-20	Taper Pin Plate	4.10

Die Heads

1A-11	Die Head for Stock Nos. 1 and 1A	\$4.60
1R-11	Die Head for Stock No. 1R only	4.60

Part for No. 1 Stock Only


1-22	Taper Pin Plate	\$3.05
------	-----------------------	--------

* Superseding all previous prices.
(Subject to change without notice)

NYE RECEDING DIE STOCKS

Nye No. 2 Receding Stock

Capacity 2½" to 4"



Separate Guides

(Fits Fed. Spec. GGG-T-581
Fig. 12-Type I)

Nye Die Chasers for Receding Stocks



Catalog No.	Stock No. dies fit, and Sizes included (Specify size when ordering)	Price Per Set	Apr. Shp. Wt. Lbs.
N1-DC	No. 1, 1A, 1R Four Segments per set 1", 1¼", 1½" (Alloy steel)..... 2" (High speed steel).....	\$1.80 2.35	1 1
N2-DC	No. 2—Five Segments per set 2½", 3", 3½", 4" (Alloy steel)....	5.85	2

Drive Shaft




Universal drive shaft for Stocks to 12 inches.

Catalog No.	Item	Price	Apr. Shp. Wt. Lbs.
NP-25	Drive Shaft.....	\$28.00	34

REPAIR PARTS FOR NYE No. 2 GEARED RECEDING THREADING DEVICE

When ordering repairs always specify the serial number which appears on the name plate of the tool.



Part No.	Part	*Not Illustrated	Price Each
2- 1	Handle.....		\$2.15
*2-1L	Lifting Handles, per pair.....		1.90
*2- 2	Ratchet Cover Screw.....		.20
2- 3	Ratchet Case.....		3.00
2- 4	Ratchet Case Cover.....		1.05
2- 5	Ratchet Spring.....		.25
2- 7	Ratchet Spring Washer.....		.20
2- 8	Ratchet Pawl.....		1.00
2- 9	Set Screw Wrench.....		.70
2-10	Pinion Sleeve.....		3.45
2-11	Pinion Retaining Guide.....		.65
*2-13	Guide Set Screw, each.....		.30
*2-15	(Die Retaining Spring Screw one of Die Retaining Pin.) each.....		.25
2-16	2½-inch Guide.....		2.40
2-17	3-inch Guide.....		2.40
2-18	3½-inch Guide.....		2.40
2-19	4-inch Guide.....		2.40
2-20	Driving Pinion and Gear.....		4.90
2-21	Retaining Ring.....		2.15
2-22	Taper Pin Plate.....		3.90
2-23	Ratchet Wheel (Gear).....		1.65
2-24	Taper Pin.....		.65
2-25	Gear.....		16.70
2-26	Die Head.....		19.55
2-27	Driving Cross.....		1.05

Prices shown are for standard parts only. Other tool parts quoted upon request.

* Superseding all previous prices.
(Subject to change without notice)


Genuine Nye Thin Blade Cutter Wheels

To Fit All Standard Makes of Pipe Cutters

When ordering please specify make, number and type of cutter.

For Example:

No. 2U (Universal Type), or
B (Barnes Type), or
R (Ridgid Type), or
S (Saunders Type), or
T (Trimo Type).



Hardened and tempered alloy steel. Made only in smooth edge.

Nye Cutter Wheels, Pins, and Rollers—Prices

Specify No.	Will Fit These Standard Types of Cutters			Wheels Each	Pins Each	Rollers Each
	Type	Cutter Size No.				
1 & 2N 1 & 2-R	NYE RIDGID	No. 1N, No. 2N, No. 2NM, or No. 2 NP. No. 1 or No. 2.....		\$0.60	.30	\$0.40 .35
	OSTER	No. 502 Power Machine..... (Also Heavy Duty—See Note 1)			none	none
4N 3 & 4-R	NYE RIDGID	No. 4N..... No. 3 or No. 4.....		.95	.40	.80
	NYE TRIMO REED	1T or 2T (formerly 1A & 2A)..... No. 1 or No. 2..... 1R or 2R roller block only.....			.25	.35
1 & 2-T	BEAVER	102 and Mod. A or B Machines.....		.65	none	none
	NYE TRIMO REED	No. 3T (formerly 3A)..... No. 3..... No. 3R roller block only.....			.25	.55
1-U 2-U 4-U	UNIVERSAL	Nye No. 1.....		.55 .60 1.15	.30	.40
	UNIVERSAL	Nye No. 2.....			.30	.40
	UNIVERSAL	Nye No. 4.....			.40	.55
1-B	BARNES	No. 1, all makes.....		.60	.25	.35
*	REED	1W and hook end only on 1R.....		.60	none	
2-B	BARNES	No. 2, all makes.....		.68	.25	.40
*	REED	2W, 2F, and hook end only on 2R.....		.68	none	
3-B	BARNES	No. 3, all makes.....		.95	.25	.55
*	REED	3W and hook end only on 3R.....		.95	none	
4-B 5-7B	BARNES BARNES	No. 4, all makes..... Nos. 5, 6, 6½ or 7, all makes.....		1.15 1.30	.30 .30	.55 .60
1-S 2-S 3 & 4-S 5-S	SAUNDERS SAUNDERS SAUNDERS SAUNDERS	No. 1, all makes†..... No. 2, all makes†..... Nos. 3 or 4, all makes†..... No. 5, all makes†.....		.60 .68 1.30	.25 .25 .30	.35 .40 .55 .60
N10CW N20CW N25CW	NYE NYE NYE	No. 10 Tube cutter†..... Nos. 20 or 30 Tube cutters†..... No. 25 Tube cutter.....		.45	.25	.30 .30 .30

Note 1.—Heavy duty wheels available, when specified.

1 & 2R.....\$0.65 each 3 & 4R.....\$1.15 each

*In ordering pins for REED cutters add "H" to number.

†For pins, specify whether for wheel or roller.

Cutter Wheels for Cast Iron or Soil Pipe
Solid Roller Hub Type

To Fit No. 4-7 Barnes Type Cutters.

Approx. Ship. Wt. per dozen, 2 lbs.

Price each.....\$1.45

NYE PIPE CUTTERS

Nye Universal Pipe Cutter



One or Three Wheel

Hollow malleable body has strength with exceptional lightness and balance for easy operation. Guaranteed spring holds wheel block against screw end of handle. Pins have square heads which prevent turning and consequent wear. Standard equipment—two rollers and one Nye smooth edge wheel.

Catalog No.	Size No.	Cuts Pipe	Price Each		Apr. Shp. Wt. Lbs.
			One Wheel	Soil Pipe 3 Wheels	
N1-UC	1	1/8 to 1"	\$ 6.70	3
N2-UC	2	1/8 to 2"	8.95	\$10.15	6
N4-UC	4	2 to 4 1/2"	30.00	32.10	17 3/4

Nye Barnes Type Pipe Cutter



Three Wheel


Catalog No.	Size No.	Cuts Pipe	Price Each		Apr. Shp. Wt. Lbs.
			Three Wheels	Soil Pipe 3 Wheels	
N2-BC	2	1/8 to 2"	\$ 8.95	5
N4-BC	4	2 1/2 to 4"	30.00	\$32.10	15
N5-BC	5	4 to 6"	45.00	46.85	25 1/4
N6-BC	6	6 to 8"	60.00	61.85	30 3/4

Nye

Pipe Threading

Oil

Dark or Clear with Sulphur base. Unless otherwise specified, Dark oil is furnished.



NET PRICES—Per Gallon


Catalog No.	Quantity	Dark	Clear	Apr. Shp. Wt. Lbs.
NO-1	1 Gallon Cans..	\$1.27	\$1.27	10
NO-5	5 Gallon Cans..	1.08	1.08	45
NO-55	55 Gal. Drums.	.94	.94	470

Federal Tax Extra

* DEALERS' NET PRICES F.O.B. FACTORY,
OR DISTRIBUTORS' STOCKS

• Superseding all previous prices.
(Subject to change without notice)

NYE HEAVY DUTY PIPE CUTTERS



Pipe Cutters Comply with Federal Specification GGG-C-771

NYE No. 2N PIPE CUTTER shown above, No. 1N and No. 4N of similar design.

Every pipe cutter is checked for alignment and tested before leaving the factory.


Wheel blocks travel on extra wide ways which assures continued alignment.

Solid malleable construction and all steel handle makes this an exceptionally dependable and durable tool.


Catalog No.	Size Range	Price	Apr. Shp. Wt. Lbs.
1N	1/8"-1 1/4" (Uses 1 and 2N Wheels, Pins and Rollers)	\$ 6.70	6
2N	1/8"-2" (Uses 1 and 2N Wheels, Pins and Rollers)	8.95	7
4N	2"-4" (Uses 4N Wheels, Pins and Rollers)	30.00	17

Pipe cutters can be furnished as three wheel cutters on request.

NYE 2NP PIPE CUTTER—For Use with Power Units



Try the new, labor-saving self-aligning NYE No. 2 NP Pipe Cutter. See for yourself how quick and easy it is to get perfect cuts, even when applied while pipe is in motion!



- Three Roller Balancing
- Solid Malleable Construction

You'll find this amazing new cutter . . .

- 1.—is self-aligning! This feature assures square cuts—eliminates spirals.
- 2.—can be applied to pipe while pipe is in motion.
- 3.—cuts with much less effort.
- 4.—saves more than half your time!


Cat. No.	Price	Apr. Shp. Wt.
2NP Pipe Cutter for Power Units	\$10.50	6 lbs.

Uses Nye 2N or 2R Wheels.


• Superseding all previous prices.
(Subject to change without notice)

NYE IMPROVED SELF-LOCKING VISES

Equipped with Long Jaws



Nye Self-Locking Vise




Originators of Long Jaw Vises and the Solid Cast Upper Jaw Retainer Guide.



Nye No. 61 Chain Vise

Vises No. 52 and 53 similar to above,
except for style of jaws, and no pipe
rest or bender.



Nye Clamp Kit Vise

Smallest rod sizes are held securely at either side of vise jaws.


Also, $\frac{1}{8}$ ", $\frac{1}{4}$ ", $\frac{3}{8}$ " pipe are held securely at either side of jaws in the larger vises such as 72 or 73 vise.

	SELF LOCKING YOKE VISES					SELF LOCKING CLAMP KIT VISES			CHAIN VISES		
	N700	N70	N71	N72	N73	900	90	91	61	52	53
PART NUMBER, COMPLETE VISE	$\frac{1}{8}$ - $1\frac{1}{2}$	$\frac{1}{8}$ -2	$\frac{1}{8}$ - $2\frac{1}{2}$	$\frac{1}{2}$ - $3\frac{1}{2}$	$\frac{1}{2}$ - $4\frac{1}{2}$	$\frac{1}{8}$ - $1\frac{1}{2}$	$\frac{1}{8}$ -2	$\frac{1}{8}$ - $2\frac{1}{2}$	$\frac{1}{8}$ - $2\frac{1}{2}$	$\frac{1}{4}$ -4	$\frac{1}{4}$ -8
PIPE SIZE CAPACITY	6.50	7.95	9.50	12.70	17.30	7.25	10.00	12.95	5.90	11.95	28.70
VISE COMPLETE											
SHIPPING WEIGHT COMPLETE VISE	6	$8\frac{3}{4}$	12	$21\frac{1}{2}$	$27\frac{1}{2}$	8	$13\frac{1}{4}$	$16\frac{3}{4}$	$8\frac{3}{4}$	15	37
*YOKE ASSEMBLY COMPLETE	4.95	5.85	6.85	9.95	14.15	4.95	5.85	6.85	—	—	—
YOKE ONLY (WITH LATCH)	2.30	2.50	2.95	4.15	5.65	2.30	2.50	2.95	—	—	—
†BASE AND SCREW WITH HANDLE	—	—	—	—	—	5.15	6.35	7.95	—	—	—
BASE ONLY	2.25	2.60	3.05	4.50	6.75	—	—	—	—	—	—
LATCH WITH RIVET	.75	.80	.90	1.10	1.25	.75	.80	.90	—	—	—
JAW CLAMP WITH SCREWS	.75	.80	.90	1.10	1.25	.75	.80	.90	—	—	—
YOKE SCREW AND HANDLE	1.60	1.90	2.25	3.50	4.85	1.60	1.90	2.25	—	—	—
UPPER JAW	1.00	1.20	1.35	1.65	2.25	1.00	1.20	1.35	—	—	—
LOWER JAW	1.40	1.45	1.45	2.10	2.80	—	—	—	2.25	2.50	3.00
JAW BOLTS, PER SET	.45	.45	.45	.60	.60	—	—	—	.40	.50	.60
SCREW COLLAR AND PIN	.25	.25	.25	.25	.25	.25	.25	.25	—	—	—
CHAIN	—	—	—	—	—	—	—	—	2.50	2.90	8.00
CHAIN TOGGLE BLOCK WITH PIN	—	—	—	—	—	—	—	—	.85	1.10	1.45
CHAIN VISE SCREW AND HANDLE	—	—	—	—	—	—	—	—	1.55	2.65	4.30

*For Yoke Type Vises. Includes Yoke, Latch, Screw and Handle, Upper Jaw Collar, Retainer Ring and Pin.


†For Clamp Kit Vises.

NYE COMBINATION VISE STANDS




Base designed so yoke vise parts ($\frac{1}{8}$ " to $2\frac{1}{2}$ ") can be replaced by chain vise parts ($\frac{1}{2}$ " to 4"), or vice versa.

Each leg of stand has locking arrangement for open and closed positions—no chain required.



Stands have double socket efficiency benders for $\frac{1}{2}$ " and $\frac{3}{4}$ " pipe. Also slots for holding tools.

Hole in rear of base is tapped for 1" pipe—to accommodate extension pipe rest arrangement.



Indentation in leg marks spot for carrying in perfect balance.

Stand in carrying position with legs securely locked.



No. 88-B with length
of 4" pipe, supported by
No. 88PR Extension Pipe Rest

Catalog No.	Description		Apr. Shp. Wt. Lbs.
N88-A	Stand with Yoke Vise $\frac{1}{8}$ to $2\frac{1}{2}$ " (convertible to 88-B and C).....	\$26.95	45
N88-BP	Parts to convert N88-A to N88-B.....	7.80	$2\frac{1}{2}$
N88-B	Stand with Chain Vise $\frac{1}{2}$ to 4".....	28.75	43
N88-AP	Parts to convert N88-B to N88-A.....	5.85	$4\frac{1}{2}$
N88-C	Stand complete with all parts for Nos. N88-A and N88-B.....	33.80	47
N88-PR	Extension pipe rest yoke.....	1.95	$1\frac{1}{2}$

PARTS FOR 88A AND 88B STANDS

Upper Jaw, 88A.....	\$1.35	Front Legs, each {Less Locking}.....	\$2.00
Lower Jaw, 88A (Pair).....	2.50	Rear Legs, each {Pins}.....	
Lower Jaw, 88B (Pair).....	3.00	Yoke Screw and Handle, 88A.....	2.50
*Yoke Assembly, 88A.....	6.85	Screw and Handle, 88B.....	1.55
Yoke only with Latch, 88A.....	2.20	Chain only, 88B.....	2.90
Latch with Rivet, 88A.....	0.90	Locking Pin Assembly, each.....	.50
Yoke Screw Collar with Pin, 88A.....	.30		

*Includes yoke, latch, screw and handle, upper jaw collar, retainer ring and pin.

HELPFUL HINTS ON THE CARE OF DIES

Good, clean threads make tight, strong joints, eliminate leaks, and reflect credit on the operator.

When cutting threads, use plenty of sulphur base oil, such as NYE Threading Oil. Cutting six dry threads will give the die more wear than cutting several hundred using a liberal quantity of oil.

Run die on pipe until flush with end of pipe—Going further causes needless wear on die, and results in an undersize thread.

Don't condemn a die until you have checked the thread with a gauge. Remember the pipe tool manufacturer is allowed one turn plus or minus in the manufacture of his product. The same is true for the fitting manufacturer. Bear in mind your pipe die can be one turn plus and your fitting one turn minus thus throwing your joint two turns off so try another fitting as we are both within our accepted standards.

Threading dies, either segmental or solid, are precision tools. Unless you are sure you have the proper equipment, we suggest that you return them to the manufacturer for reconditioning or resharpening.

Send your orders (specifying "NYE") direct to your jobber to facilitate delivery.

Above all—you will positively eliminate 75 per cent of your grief by using liberally a high grade sulphur base oil. (See page 4 for prices on oil.)

"Never say DIE, say NYE DIE"